


12.703  
 7.695  
 7.693  
 7.675  
 7.673  
 7.574  
 7.572  
 7.554  
 7.552  
 7.219  
 7.201  
 7.181  
 7.146  
 7.126  
 7.106  
 7.074  
 7.057  
 7.039  
 6.876  
 6.858  
 6.840  
 6.269  
 6.249  
 3.705  
 3.355  
 2.505  
 0.0000



C<sub>14</sub>H<sub>11</sub>BrClNO<sub>2</sub>, DMSO-d<sub>6</sub>

78.0

56.0

0.97

0.97

0.95

2.00

15000

10000

5000

0

**Date:**  
 4 Jul 2024  
**Document's Title:**  
 fid  
**Spectrum Title:**  
 None  
**Frequency (MHz):**  
 (f1) 400.152  
**Original Points Count:**  
 (f1) 32768  
**Actual Points Count:**  
 (f1) 65536  
**Acquisition Time (sec):**  
 (f1) 3.9846  
**Spectral Width (ppm):**  
 (f1) 20.551  
**Pulse Program:**  
 ZG30  
**Temperature:**  
 217.594  
**Number of Scans:**  
 16  
**Acq. Date:**  
 Mon Jul 04 02:35:24 PM

15.0  
 ppm (f1)

10.0

5.0

0.0