# Chemical Safety Data Sheet MSDS / SDS

# 2,2-Dimethoxy-2-phenylacetophenone

Revision Date:2024-12-21 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **Product identifier**

Product name	: 2,2-Dimethoxy-2-phenylacetophenone			
CBnumber	: CB0439891			
CAS	: 24650-42-8			
EINECS Number	: 246-386-6			
Synonyms	: DMPA,2,2-dimethoxy-2-phenylacetophenone			
Relevant identified uses of the substance or mixture and uses advised against				
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.			
Uses advised against	: none			
Company Identification				
Company	: Chemicalbook			
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing			
Telephone	: 400-158-6606			

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Warning

Precautionary statements

P501 Dispose of contents/container to.....

P391 Collect spillage. Hazardous to the aquatic environment

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

#### Hazard statements

H410 Very toxic to aquatic life with long lasting effects

H317 May cause an allergic skin reaction

# SECTION 3: Composition/information on ingredients

# Substance

Product name	: 2,2-Dimethoxy-2-phenylacetophenone
Synonyms	: DMPA,2,2-dimethoxy-2-phenylacetophenone
CAS	: 24650-42-8
EC number	: 246-386-6
MF	: C16H16O3
MW	: 256.3

# SECTION 4: First aid measures

# Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

#### **Extinguishing media**

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.


# Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# **Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **NFPA 704**



HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)
FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia)
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <u>N2</u> )
SPEC. HAZ.		

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### **Reference to other sections**

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture.

### Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Dry.

Light sensitive.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety

# glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril? L Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril? L

**Body Protection** 

#### protective clothing

**Respiratory protection** 

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other

accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	white powder, crystalline
Odour	odorless
Odour Threshold	Not applicable
рН	No data available
Melting point/freezing point	Melting point/range: 67 - 70 °C - lit.
Initial boiling point and boiling range	100 - 115 °C at< 0,1 hPa
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	methylene chloride: 20 mg/mL, clear
Partition coefficient: n-octanol/water	log Pow: 3,42
Autoignition temperature	>400 °C at 1.013 hPa
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

# Other safety information

No data available

# Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

# **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# Possibility of hazardous reactions

No data available

#### **Conditions to avoid**

no information available

# Incompatible materials

Strong acids

# Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - > 6.000 mg/kg Acute toxicity estimate Oral - Expert judgment - 500,1 mg/kg (Expert judgment) LD50 Dermal - Rat - > 7.000 mg/kg Skin corrosion/irritation Skin - Rabbit Result: No skin irritation Remarks: (External MSDS) Skin - Rabbit Result: No skin irritation Serious eye damage/eye irritation Eyes - Rabbit Result: No eye irritation Respiratory or skin sensitization No data available Germ cell mutagenicity Result: Not mutagenic in Ames Test. Remarks: Histidine reversion (Ames) Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure No data available

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - oral cavity

#### Aspiration hazard

No data available

# **SECTION 12: Ecological information**

# Toxicity

#### No data available

### Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 26 mg/l - 24 h (OECD Test Guideline 202)

#### Toxicity to algae

IC50 - Desmodesmus subspicatus (green algae) - 0,17 mg/l - 72 h (OECD Test Guideline 201)

#### Toxicity to bacteria

EC50 - activated sludge - > 100 mg/l - 3 h

(OECD Test Guideline 209)

# Persistence and degradability

No data available

# **Bioaccumulative potential**

No data available

# Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Other adverse effects

No data available

# SECTION 13: Disposal considerations

# Waste treatment methods

# Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

# **UN number**

ADR/RID: - IMDG: - IATA: -

### UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

# Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

# **Packaging group**

ADR/RID: - IMDG: - IATA: -

# **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

# Special precautions for user

### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZloC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/ EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

#### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.