# Chemical Safety Data Sheet MSDS / SDS

# **Ammonium metavanadate**

Revision Date: 2024-07-06 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

Product name : Ammonium metavanadate

CBnumber : CB8854364

CAS : 7803-55-6

EINECS Number : 232-261-3

Synonyms: AMMONIUM METAVANADATE,NH4VO3

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

# **SECTION 2: Hazards identification**

### Classification of the substance or mixture

Acute toxicity - Category 3, Oral

Eye irritation, Category 2

Acute toxicity - Category 4, Inhalation

Reproductive toxicity, Category 2

Specific target organ toxicity - repeated exposure, Category 1

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

# Label elements

### Pictogram(s)

----

Signal word Danger

Hazard statement(s)

H301 Toxic if swalloed

H302 Harmful if swallowed

H313 May be harmful in contact with skin

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation

H319 Causes serious eye irritation

H330 Fatal if inhaled

H332 Harmful if inhaled

H335 May cause respiratory irritation

H341 Suspected of causing genetic defects

H372 Causes damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

### Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P320 Specific treatment is urgent (see ... on this label).

P330 Rinse mouth.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P203 Obtain, read and follow all safety instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

### Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P317 Get medical help.

P318 IF exposed or concerned, get medical advice.

P319 Get medical help if you feel unwell.

P391 Collect spillage.

### Storage

P405 Store locked up.

### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### Other hazards

no data available

# SECTION 3: Composition/information on ingredients

### **Substance**

Product name : Ammonium metavanadate

Synonyms: AMMONIUM METAVANADATE,NH4VO3

CAS : 7803-55-6
EC number : 232-261-3
MF : H4NO3V
MW : 116.98

# SECTION 4: First aid measures

# Description of first aid measures

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

# Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### Most important symptoms and effects, both acute and delayed

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]: TOXIC; inhalation, ingestion or skin contact with material may cause severe injury or death. Contact with molten substance may cause severe burns to skin and eyes. Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. (ERG, 2016)

### Indication of any immediate medical attention and special treatment needed

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR if necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature.

Obtain medical attention. Poisons A and B

# SECTION 5: Firefighting measures

# **Extinguishing media**

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.


### **Specific Hazards Arising from the Chemical**

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. For electric vehicles or equipment, ERG Guide 147 (lithium ion batteries) or ERG Guide 138 (sodium batteries) should also be consulted. (ERG, 2016)

### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# **NFPA 704**



### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# SECTION 7: Handling and storage

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Moisture sensitive. Keep in a dry place.

# SECTION 8: Exposure controls/personal protection

### **Control parameters**

### Occupational Exposure limit values

Component	pmponent Ammonium trioxovanadate	
CAS No.	7803-55-6	
Recommended Exposure Limit: 15 Minute Ceiling value: 0.05 mg V/cu m. /Vanadium dust; The REL applies to all vanadium		
	compounds except vanadium metal and vanadium carbide./	

### **Biological limit values**

no data available

### **Exposure controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

### Individual protection measures

# Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

### Thermal hazards

no data available

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Physical state	Solid
Colour	White to yellow
Odour	no data available
Melting point/freezing point	690 °C
Boiling point or initial boiling point and	210 °C
boiling range	
Flammability	no data available
Lower and upper explosion	no data available
limit/flammability limit	
Flash point	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
рН	7 (5.1g/l, H2O, 20°C)
Kinematic viscosity	no data available
Solubility	H <sub>2</sub> O: soluble
Partition coefficient n-octanol/water	no data available
Vapour pressure	no data available
Density and/or relative density	2.33
Relative vapour density	2.33
Particle characteristics	no data available

# SECTION 10: Stability and reactivity

# Reactivity

Slightly soluble in water.

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

NonflammableAcidic inorganic salts, such as AMMONIUM METAVANADATE, are generally soluble in water. The resulting solutions contain moderate concentrations of hydrogen ions and have pH's of less than 7.0. They react as acids to neutralize bases. These neutralizations generate heat, but less or far less than is generated by neutralization of inorganic acids, inorganic oxoacids, and carboxylic acid. Ammonium metavanadate is a weak oxidizing agent, and may react with strong or weak reducing agents to generate heat and products that may be flammable, combustible, or otherwise reactive.

### Conditions to avoid

no data available

# Incompatible materials

Incompatible materials: Strong acids and oxidizing agents.

# Hazardous decomposition products

When heated to decompostion it emits toxic fumes of /ammonia, vanadium, and nitrogen oxides/.

# **SECTION 11: Toxicological information**

# **Acute toxicity**

- Oral: LD50 rat (male) 218.1 mg/kg bw. Remarks:LD50 after 14 days; Slope: 14.98.
- Inhalation: LC50 rat (male) 2.61 mg/L air (analytical).
- Dermal: LD50 rat (male) > 2 500 mg/kg bw.

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

# Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

# Carcinogenicity

no data available

# Reproductive toxicity

no data available

# STOT-single exposure

no data available

### STOT-repeated exposure

no data available

### **Aspiration hazard**

no data available

# SECTION 12: Ecological information

### **Toxicity**

Toxicity to fish: LC50 - Leuciscus idus - 693 µg/L - 96 h. Remarks: V.

Toxicity to daphnia and other aquatic invertebrates: LC50 - Daphnia magna - 1 520 μg/L - 48 h. Remarks: V.

Toxicity to algae: EC50 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - 2 907 µg/L - 72 h.

Toxicity to microorganisms: EC50 - activated sludge of a predominantly domestic sewage - > 100 mg/L - 3 h. Remarks: V.

# Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

Log Kd values for ammonium vanadate determined in 11 soils from 10 soil orders were as follows(1):Log Kd Soil type Soil characteristics State of origin 2.152 Alligator pH 4.8, 1.54% TOC, 5.9% sand, 39.4% silt, 54.7% clay Louisiana 1.035 Calciorthid pH 8.5, 0.44% TOC, 70.0% sand, 19.3% silt, 10.7% clay New Mexico 1.599 Cecil pH 5.7, 0.61% TOC, 78.8% sand, 12.9% silt, 8.3% clay South Carolina 3.347 Kula pH 5.9, 6.62% TOC, 73.7% sand, 25.4% silt, 0.9% clay Hawaii 2.012 Lafitte pH 3.9, 11.6% TOC, 60.7% sand, 21.7% silt, 17.6% clay Louisiana 2.703 Molokai pH 6.0, 1.67% TOC, 25.7% sand, 46.2% silt, 28.2% clay Hawaii 1.270 Norwood pH 6.9, 0.21% TOC, 79.2% sand, 18.1% silt, 2.8% clay Louisiana 1.960 Olivier pH 6.6, 0.83% TOC, 4.4% sand, 89.4% silt, 6.2% clay Louisiana 1.958 Spodosol pH 4.3, 1.98% TOC, 90.2% sand, 6.0% silt, 3.8% clay Florida 1.907 Webster pH 7.6, 4.39% TOC, 27.5% sand, 48.6% silt, 23.9% clay lowa 2.184 Windsor pH 5.3, 2.03% TOC, 76.8% sand, 20.5% silt, 2.8% clay New Hampshire

#### Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

### Disposal methods

### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# SECTION 14: Transport information

### **UN Number**

ADR/RID: UN2859 (For reference only, please check.)

IMDG: UN2859 (For reference only, please check.)

IATA: UN2859 (For reference only, please check.)

# **UN Proper Shipping Name**

ADR/RID: AMMONIUM METAVANADATE (For reference only, please check.)

IMDG: AMMONIUM METAVANADATE (For reference only, please check.)

IATA: AMMONIUM METAVANADATE (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

# Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

### **Environmental hazards**

ADR/RID: Yes

IMDG: Yes

IATA: Yes

# Special precautions for user

no data available

### Transport in bulk according to IMO instruments

no data available

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations specific for the product in question

**European Inventory of Existing Commercial Chemical Substances (EINECS)** 

Listed.

**EC Inventory** 

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

**PICCS** 

Listed.

**Vietnam National Chemical Inventory** 

Listed.

**IECSC** 

Listed.

# SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

 ${\it CAMEO\ Chemicals}, we bsite: {\it http://cameochemicals.noaa.gov/search/simple}$ 

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.