# Chemical Safety Data Sheet MSDS / SDS

# Diethylbenzene

Revision Date:2025-01-06 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **Product identifier**

Delevent identified uses of the substance or mixture and uses advised are	
Synonyms	: diethylbenzene,DEB
EINECS Number	: 246-874-9
CAS	: 25340-17-4
CBnumber	: CB7375567
Product name	: Diethylbenzene

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.
Uses advised against	: none
Company Identification	
Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 400-158-6606

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word

Danger

Precautionary statements

P501 Dispose of contents/container to.....

P403+P235 Store in a well-ventilated place. Keep cool.

P391 Collect spillage. Hazardous to the aquatic environment

P370+P378 In case of fire: Use ... for extinction.

P331 Do NOT induce vomiting.

P314 Get medical advice/attention if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P270 Do not eat, drink or smoke when using this product.		
P264 Wash skin thouroughly after handling.		
P264 Wash hands thoroughly after handling.		
P260 Do not breathe dust/fume/gas/mist/vapours/spray.		
P241 Use explosion-proof electrical/ventilating/lighting//equipment.		
P240 Ground/bond container and receiving equipment.		
P233 Keep container tightly closed.		
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.		
Hazard statements		
H411 Toxic to aquatic life with long lasting effects		
H410 Very toxic to aquatic life with long lasting effects		
H410 Very toxic to aquatic life with long lasting effects H401 Toxic to aquatic life		
H401 Toxic to aquatic life		
H401 Toxic to aquatic life H372 Causes damage to organs through prolonged or repeated exposure		
H401 Toxic to aquatic life H372 Causes damage to organs through prolonged or repeated exposure H319 Causes serious eye irritation		
H401 Toxic to aquatic life H372 Causes damage to organs through prolonged or repeated exposure H319 Causes serious eye irritation H315 Causes skin irritation		

# SECTION 3: Composition/information on ingredients

### Substance

: Diethylbenzene
: diethylbenzene,DEB
: 25340-17-4
: 246-874-9
: C10H14
: 134.22

# SECTION 4: First aid measures

# Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special hazards arising from the substance or mixture

Carbon oxides


### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

Use water spray to cool unopened containers.

# **NFPA 704**



# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet- brushing and place in container for disposal according to local regulations (see section 13).

# **Reference to other sections**

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

# **Exposure controls**

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to

avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	colourless clear, liquid
Odour	characteristic
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	< -75 °C at ca.1.013 hPa
Initial boiling point and boiling range	180 - 182 °C - lit.
Flash point	57 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 5 %(V) Lower explosion limit: 0,8 %(V)
limits	
Vapour pressure	ca.3,1 hPa at ca.20 °C
Vapour density	4,63 - (Air = 1.0)
Relative density	0,87 g/mL at 25 °C
Water solubility	No data available
Partition coefficient: n-octanol/water	log Pow: 3,72 - 4,45 at 25 °C
Autoignition temperature	ca.430 °C at 1.013 hPa
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

# Other safety information

Surface tension ca.0,03 mN/m at -31 °C

# SECTION 10: Stability and reactivity

# Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

No data available

### **Conditions to avoid**

Heat, flames and sparks.

# Incompatible materials

Strong oxidizing agents

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

# SECTION 11: Toxicological information

# Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 2.050 mg/kg LD50 Dermal - Rabbit - > 5.000 mg/kg

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

#### Respiratory or skin sensitisation

Buehler Test - Guinea pig

Result: Does not cause skin sensitisation. (OECD Test Guideline 406)

# Germ cell mutagenicity

Ames test

S. typhimurium Result: negative

Mutagenicity (micronucleus test) Mouse - male and female Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

**Reproductive toxicity** 

No data available

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Additional Information

Repeated dose toxicity - Rat - male and female - Inhalation RTECS: CZ5600000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# SECTION 12: Ecological information

#### Toxicity

#### Toxicity to fish

semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,673 mg/l - 96 h

(OECD Test Guideline 203)

# Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 2,01 mg/l - 48 h (OECD Test Guideline 202)

### Toxicity to algae

static test EC50 - Pseudokirchneriella subcapitata (algae) - 1,21 mg/l

- 72 h

(OECD Test Guideline 201)

#### Toxicity to bacteria

Respiration inhibition NOEC - Sludge Treatment - > 1.000 mg/l - 3 h (OECD Test Guideline 209)

#### Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 4,7 % - Not readily biodegradable. (Directive 67/548/EEC Annex V, C.4.C.)

### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Toxics Screening Level**

The Initial Threshold Screening Level (ITSL) for diethylbenzene (DEB) mixture is 6 µg/m3 based on an annual averaging time.

### Other adverse effects

Very toxic to aquatic life with long lasting effects.

# SECTION 13: Disposal considerations

### Waste treatment methods

# Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

### **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: Transport information**

#### **UN number**

ADR/RID: 2049 IMDG: 2049

# UN proper shipping name

ADR/RID: DIETHYLBENZENE IMDG: DIETHYLBENZENE IATA: Diethylbenzene

#### Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

## Packaging group

ADR/RID: III IMDG: III IATA: III

# **Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

# Special precautions for user

No data available

# SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/ United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/ Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/ New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/ Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/ EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- CAS: Chemical Abstracts Service
- EC50: Effective Concentration 50%
- IATA: International Air Transportation Association
- IMDG: International Maritime Dangerous Goods
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- STEL: Short term exposure limit
- TWA: Time Weighted Average

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### **Other Information**

Diethylbenzene (DEB) is commercially only available as a mixture of isomers: 1,2 DEB (CAS 135-01-3), 1,3 DEB (CAS 141-93-5) and 1,4 DEB (CAS 105-05-5), with a typical purity > 92.3% (v/v). The characteristic isomer distribution is : 1,3 DEB (60-65%), 1,4 DEB (27-30%) and 1,2 DEB (4-5%)The physico-chemical properties may vary according to the chemical composition. The preventive measures for the individual components may be different than for the mixed isomers. Effects on kidney and liver have been reported only for the 1,4-isomer.

**Disclaimer:** 

this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.