Chemical Safety Data Sheet MSDS / SDS

Sulfometuron-methyl

Revision Date:2024-11-16 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: Sulfometuron-methyl
CBnumber	: CB2721994
CAS	: 74222-97-2
EINECS Number	: 277-780-6
Synonyms	: Sulfometuron methyl
Relevant identified uses of the s	substance or mixture and uses advised against
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.
Relevant identified uses Uses advised against	: For R&D use only. Not for medicinal, household or other use. : none
	· · · ·
Uses advised against	· · · ·
Uses advised against Company Identification	: none

SECTION 2: Hazards identification

Classification of the substance or mixture

Eye irritation, Category 2 Acute toxicity - Category 4, Inhalation Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1 Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

Label elements

Pictogram(s)

Signal word

Warning

Hazard statement(s)

H400 Very toxic to aquatic life

Precautionary statement(s)

P273 Avoid release to the environment.

Prevention

P264 Wash ... thoroughly after handling.

1

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P317 Get medical help.

P391 Collect spillage.

Storage

none

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

: Sulfometuron-methyl	
ulfometuron methyl	
4222-97-2	
77-780-6	
15H16N4O5S	
64.38	

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately.

Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control

Center immediately.

Most important symptoms and effects, both acute and delayed

no data available

Indication of any immediate medical attention and special treatment needed

Skin contamination should be treated promptly by washing with soap and water. Contamination of the eyes should be treated immediately by prolonged flushing of the eyes with large amounts of clean water. If dermal or ocular irritation persists, medical attention should be obtained without delay. Other Herbicides

SECTION 5: Firefighting measures

Extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Specific Hazards Arising from the Chemical

no data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

SRP: Wastewater from contaminant suppression, cleaning of protective clothing/equipment, or contaminated sites should be contained and evaluated for subject chemical or decomposition product concentrations. Concentrations shall be lower than applicable environmental discharge or disposal criteria. Alternatively, pretreatment and/or discharge to a POTW is acceptable only after review by the governing authority. Due consideration shall be given to remediation worker exposure (inhalation, dermal and ingestion) as well as fate during treatment, transfer and disposal. If it is not practicable to manage the chemical in this fashion, it must meet Hazardous Material Criteria for disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

Component	Methyl 2-[[[(4,6	Methyl 2-[[[(4,6-dimethyl-2-pyrimidinyl)amino]carbonyl]amino]sulphonyl]benzoate				
CAS No.	74222-97-2					
	Limit value - Eight hours	Limit value - Short term				
	ppm	mg/m ³	ppm	mg/m ³		
Austria	?	5	?	?		
Belgium	?	5	?	?		
Canada - Ontario	?	5	?	?		
Canada - Québec	?	5	?	?		
Denmark	?	5	?	10		
Singapore	?	5	?	?		
Spain	?	5	?	?		
	Remarks					

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The

selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	neat
Colour	White solid
Odour	no data available
Melting point/freezing point	203-205°C
Boiling point or initial boiling point and	no data available
boiling range	
Flammability	no data available
Lower and upper explosion	no data available
limit/flammability limit	
Flash point	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
рН	no data available
Kinematic viscosity	no data available
Solubility	In mg/kg at 25 deg C: acetone 3300, acetonitrile 1800, ethyl acetate 650, diethyl ether 60, hexane
	<1, methanol 550, dichloromethane 15,000, dimethyl sulfoxide 32,000, octanol 140, toluene 240
Partition coefficient n-octanol/water	log Kow = 1.20
Vapour pressure	5.48X10-16 mm Hg at 25 deg C
Density and/or relative density	1.48
Relative vapour density	no data available
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

no data available

Chemical stability

no data available

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Incompatible materials

no data available

Hazardous decomposition products

When heated to decomposition it emites toxic fumes of /Nitrogen oxides and Sulfur oxides/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral > 5000 mg/kg
- Inhalation: LC50 Rat inhalation > 5 ppm over 4 hrs
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

A4: Not classifiable as a human carcinogen.

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50; Species: Lepomis macrochirus (Bluegill); Conditions: freshwater, static; Concentration: >12500 ug/L for 96 hr /92% purity

Toxicity to daphnia and other aquatic invertebrates: EC50; Species: Daphnia magna (Water flea, age <24 hr); Conditions: freshwater, static;

Concentration: >1000 ppm for 48 hr; Effect: intoxication immobilization /75% purity

Toxicity to algae: EC50; Species: Pseudokirchneriella subcapitata (Green algae); Conditions: freshwater, static; Concentration: 4.6 ug/L for 5

days (95% confidence interval: 2.6-8.2 ug/L); Effect: population abundance /99.1% purity

Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: Sulfometuron readily biodegrades in aerobic soil. The half-life was reported to be 12-25 days (2-4 weeks) in various soil conditions(1,2). In native sediments at neutral pH, microbial degradation of sulfometuron methyl was prevalent. Pseudo-first-order dissipation rate constants between 1.27X10-2 days-1 and 3.95X10-2 days-1 were determined from a stream and pond near Athens, Georgia(3), corresponding to half-lives of 54 and 17 days, respectively(SRC). (14C)Sulfometuron methyl degraded in aerobic soils under laboratory and field conditions at a rate dependent upon soil pH and moisture content. Saccharin was the major degradation product under sterile conditions, but in the presence of a viable soil microbial population, metabolism of the phenyl ring of [phenyl-14C]sulfometuron methyl to 14-CO2 was observed(4).

Bioaccumulative potential

An estimated BCF of 99 was calculated for sulfometuron methyl using an estimated log Kow of 1.2(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is moderate(SRC). (14C)Sulfometuron methyl has a low partition ratio (0.31) between n-octanol and 0.01 M phosphate buffer, pH 7.0. It does not accumulate in fish tissue when fish are exposed to 0.01 ppm or 1.0 ppm (14C)-sulfometuron methyl in their environment(4).

Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of sulfometuron methyl can be estimated to be 107(SRC). According to a classification scheme(2), this estimated Koc value suggests that sulfometuron methyl is expected to have high mobility in soil. The pKa of sulfometuron methyl, a weak acid(3), is 5.2(4), indicating that this compound will exist partially in the anion form in the environment and anions generally do not adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5). Sulfomethuron methyl's potential to leach in alkaline soils is higher than in low pH soils(6). Sulfometuron methyl (or its degradation products) was more mobile in soils with pH 7 or greater than in soils with pH near or below the sulforneturon methyl pKa. This increased mobility was attributed to ionization of sulfometuron methyl and hence increased water solubility(7). (14-C)Sulfometuron methyl was mobile on soils when tested using soil thin-layer plates and soil columns; this mobility agreed reasonably well with Freundlich soil isotherm constants(8).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN3077 (For reference only, please check.) IMDG: UN3077 (For reference only, please check.) IATA: UN3077 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.) IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.) IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 9 (For reference only, please check.) IMDG: 9 (For reference only, please check.) IATA: 9 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.) IMDG: III (For reference only, please check.) IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: Yes IMDG: Yes IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. EC Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory Not Listed. China Catalog of Hazardous chemicals 2015 Not Listed. Not Listed. Listed.

Not Listed.

Vietnam National Chemical Inventory

Listed.

IECSC

Not Listed.

Korea Existing Chemicals List (KECL)

Not Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?

pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.