# Chemical Safety Data Sheet MSDS / SDS

# Ethyl formate

Revision Date:2024-12-21 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **Product identifier**

Product name	: Ethyl formate				
CBnumber	: CB3411274				
CAS	: 109-94-4				
EINECS Number	: 203-721-0				
Synonyms	: ethyl formate,FORMIC ACID ETHYL ESTER				
Relevant identified uses of the substance or mixture and uses advised against					
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.				
Uses advised against	: none				
Company Identification					
Company	: Chemicalbook				
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing				
Telephone	: 400-158-6606				

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word
Precautionary statements

Danger

-P403+P235 Store in a well-ventilated place. Keep cool.

P403 Store in a well-ventilated place.

P370+P378 In case of fire: Use ... for extinction.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P262 Do not get in eyes, on skin, or on clothing.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P243 Take precautionary measures against static discharge.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Hazard statements

H335 May cause respiratory irritation H332 Harmful if inhaled H319 Causes serious eye irritation H302 Harmful if swallowed H225 Highly Flammable liquid and vapour

# SECTION 3: Composition/information on ingredients

### Substance

Product name	: Ethyl formate
Synonyms	: ethyl formate,FORMIC ACID ETHYL ESTER
CAS	: 109-94-4
EC number	: 203-721-0
MF	: C3H6O2
MW	: 74.08

# SECTION 4: First aid measures

### Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

#### Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.


### Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **Further information**

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **NFPA 704**



HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)
FIRE	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <u>acetone</u> )
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <u>N2</u> )
SPEC. HAZ.		

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# **Environmental precautions**

Do not let product enter drains. Risk of explosion.

# Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb? H?, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

# Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Moisture sensitive.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety

#### glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 120 min Material tested:Butoject? (KCL 898) **Body Protection** Flame retardant antistatic protective clothing. **Respiratory protection** required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type AX The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains. Risk of explosion. **Exposure limits** TLV-TWA 100 ppm ( $\sim$ 300 mg/m<sup>3</sup>) (ACGIH, MSHA, and OSHA); IDLH 8000 ppm (NIOSH).

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	light yellow clear, liquid
Odour	No data available
Odour Threshold	2.7ppm
Melting point/freezing point	point/range: -80 °C - lit.
Initial boiling point and boiling range	52 - 54 °C - lit.
Flash point	-20 °C - closed cup
Evaporation rate	7 °F
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 16 %(V) Lower explosion limit: 2,8 %(V)
limits	
Vapour pressure	266,64 hPa at 20 °C
Vapour density	2,56 - (Air = 1.0)
Relative density	2.5 (vs air)
Water solubility	71,78 g/l at 25 °C - OECD Test Guideline 105- completely soluble
Partition coefficient: n-octanol/water	log Pow: 1,5 at 25 °C - Bioaccumulation is not expected.
Autoignition temperature	455 °C
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: 11,16 mm2/s at 20 °C - OECD Test Guideline 11410,9 mm2/s at 40 °C - OECD

Test Guideline 114 Viscosity, dynamic: 10,21 mPa.s at 20 °C - OECD Test Guideline 1149,97 mPa.s

	at 40 °C - OECD Test Guideline 114
Explosive properties	No data available
Oxidizing properties	No data available
Henry's Law Constant	0.097(x 10 <sup>-3</sup> atm?m <sup>3</sup> /mol) at 5.00 °C, 0.13 at 10.00 °C, 0.17 at 15.00 °C, 0.23 at 20.00 °C, 0.29 at
	25.00 °C (column stripping-UV, Kutsuna et al., 2005)

# Other safety information

Surface tension 0,02 N/m at 20 °C

Relative vapor density

2,56 - (Air = 1.0)

# SECTION 10: Stability and reactivity

# Reactivity

Vapors may form explosive mixture with air.

#### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# Possibility of hazardous reactions

Exothermic reaction with: sodium Alkali metals Alkaline earth metals Risk of ignition or formation of inflammable gases or vapours with: Oxidizing agents Strong acids and strong bases

### Conditions to avoid

Warming.

# Incompatible materials

No data available

# Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

# Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 1.850 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Dyspnea.

(RTECS)

LC50 Inhalation - 4 h - 11 mg/l LD50 Dermal - Rabbit - male - > 20.000 mg/kg Remarks: (ECHA) Skin corrosion/irritation Skin - Rabbit Result: No skin irritation - 24 h Remarks: (ECHA) Serious eye damage/eye irritation Eyes - Rabbit Result: Eye irritation Remarks: (ECHA) (Regulation (EC) No 1272/2008, Annex VI) Respiratory or skin sensitization Remarks: (ECHA) Germ cell mutagenicity No data available Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Toxicity LD50 orally in rats: 4.29 g/kg (Smyth)

# SECTION 12: Ecological information

### Toxicity

### Toxicity to fish

static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (OECD Test Guideline 203)

# Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 212,5 mg/l - 48 h (OECD Test Guideline 202)

### Persistence and degradability

Biodegradability Result: 77,48 % - Readily biodegradable. (OECD Test Guideline 301D)

# **Bioaccumulative potential**

No data available

### Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Other adverse effects

No data available

# SECTION 13: Disposal considerations

# Waste treatment methods

### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. **Incompatibilities** 

May form explosive mixture with air. Reacts violently with nitrates, strong oxidizers, strong alkalis, and strong acids. Decomposes slowly in

water, forming ethyl alcohol and formic acid. May accumulate static electrical charges, and may cause ignition of its vapors

#### Waste Disposal

Spray into a furnace in admixture with a flammable solvent

# **SECTION 14: Transport information**

#### **UN number**

ADR/RID: 1190 IMDG: 1190 IATA: 1190

#### UN proper shipping name

ADR/RID: ETHYL FORMATE IMDG: ETHYL FORMATE IATA: Ethyl formate

### Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

# **Packaging group**

ADR/RID: II IMDG: II IATA: II

#### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### Special precautions for user

No data available

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/ Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/ United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/ Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/ New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/ Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/ EC Inventory:Listed.

# **SECTION 16: Other information**

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

### **Other Information**

The odour warning when the exposure limit value is exceeded is insufficient.Do NOT take working clothes home.

**Disclaimer:** 

this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.