

## Chemical Safety Data Sheet MSDS / SDS

## Ethyl vinyl ether

Revision Date:2024-08-24 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Ethyl vinyl ether  
CBnumber : CB0708241  
CAS : 109-92-2  
EINECS Number : 203-718-4  
Synonyms : ethyl vinyl ether,ethoxyethene

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continuerinsing.

P370+P378 In case of fire: Use ... for extinction.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### **Hazard statements**

H224 Extremely flammable liquid and vapour

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Ethyl vinyl ether
Synonyms	: ethyl vinyl ether,ethoxyethene
CAS	: 109-92-2
EC number	: 203-718-4
MF	: C <sub>4</sub> H <sub>8</sub> O
MW	: 72.11

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

#### **In case of eye contact**

Flush eyes with water as a precaution.

#### **If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special hazards arising from the substance or mixture

Carbon oxides


#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### Further information

Use water spray to cool unopened containers.

#### NFPA 704



☒ HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

☒ FIRE 4 Will rapidly or completely vaporize at normal atmospheric pressure and temperature, or is readily dispersed in air and will burn readily. Includes pyrophoric substances. Flash point below room temperature at 22.8 °C (73 °F). (e.g. acetylene, propane, [hydrogen gas](#))

☒ REACT 2 Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g. white phosphorus, [potassium](#), [sodium](#))

☐ SPEC.

☐ HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet- brushing and place in container for disposal according to local regulations (see section 13).

## Reference to other sections

For disposal see section 13.

---

# SECTION 7: Handling and storage

## Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C Handle and open container with care. Air sensitive.

## Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# SECTION 8: Exposure controls/personal protection

## control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

## Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 66 min

Material tested: Vitoject? (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

Impervious clothing, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	colourless clear, liquid
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/range: 116 °C - lit.
Initial boiling point and boiling range	33 °C - lit.
Flash point	-46 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 28 %(V) Lower explosion limit: 1,4 %(V)
Vapour pressure	747 hPa at 20 °C
Vapour density	2,89
Relative density	0,753 g/mL at 25 °C
Water solubility	8.3g/l
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

Relative vapour density

2,89

---

## SECTION 10: Stability and reactivity

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions. Contains the following stabiliser(s):

caustic potash (0,1 %)

### Possibility of hazardous reactions

No data available

### Conditions to avoid

Heat, flames and sparks.

### Incompatible materials

Oxidizing agents, Oxygen, Acids

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 6.120 mg/kg

Remarks: (RTECS) absorption

LC50 Inhalation - Rat - 4 h - > 21,2 mg/l Remarks: (External MSDS)

LD50 Dermal - Rabbit - > 15.000 mg/kg Remarks: (RTECS)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Drying-out effect resulting in rough and chapped skin.

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity****Specific target organ toxicity - single exposure**

Acute oral toxicity - Nausea, Vomiting

**Specific target organ toxicity - repeated exposure Aspiration hazard****Additional Information**

RTECS: KO0710000

Liver injury may occur., inhalation or ingestion may produce an intense excited state, Unconsciousness, respiratory paralysis, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

Systemic effects:

After absorption of large quantities:

cardiovascular disorders, narcosis

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

**Toxicity**

LD50 orally in Rabbit: 6120 mg/kg LD50 dermal Rabbit > 15000 mg/kg

---

## SECTION 12: Ecological information

**Toxicity****Toxicity to bacteria****Persistence and degradability**

Biodegradability Result: 60 - 70 % - Readily biodegradable.

(OECD Test Guideline 301B)

**Bioaccumulative potential****Mobility in soil****Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Other adverse effects**

Stability in water - 0,59 h at 20 °C pH 4

(OECD Test Guideline 111) Remarks: Rapid degradation.

---

## SECTION 13: Disposal considerations

**Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra

care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

### **Contaminated packaging**

Dispose of as unused product.

---

## **SECTION 14: Transport information**

### **UN number**

ADR/RID: 1302 IMDG: 1302 IATA: 1302

### **UN proper shipping name**

ADR/RID: VINYL ETHYL ETHER, STABILIZED IMDG: VINYL ETHYL ETHER, STABILIZED

IATA: Vinyl ethyl ether, stabilized

### **Transport hazard class(es)**

ADR/RID: 3 IMDG: 3 IATA: 3

### **Packaging group**

ADR/RID: I IMDG: I IATA: I

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### **Special precautions for user**

No data available

---

## **SECTION 15: Regulatory information**

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015: Listed. website: <https://www.mem.gov.cn/>

#### **Measures for Environmental Management of New Chemical Substances**

European Inventory of Existing Commercial Chemical Substances (EINECS): Listed. website: <https://echa.europa.eu/>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC): Listed. website: <https://www.mee.gov.cn/>

EC Inventory: Listed.

Korea Existing Chemicals List (KECL): Listed. website: <http://ncis.nier.go.kr>

United States Toxic Substances Control Act (TSCA) Inventory: Listed. website: <https://www.epa.gov/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed. website: <https://emb.gov.ph/>

Vietnam National Chemical Inventory: Listed. website: <https://chemicaldata.gov.vn/>

New Zealand Inventory of Chemicals (NZIoC): Listed. website: <https://www.epa.govt.nz/>

---

## **SECTION 16: Other information**



## Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

【1】CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

【5】ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

## Other Information

An added stabilizer or inhibitor can influence the toxicological properties of this substance; consult an expert. Check for peroxides prior to distillation; eliminate if found.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.