

## Chemical Safety Data Sheet MSDS / SDS

## Methylcyclohexane

Revision Date:2025-01-06 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Methylcyclohexane  
CBnumber : CB7852767  
CAS : 108-87-2  
EINECS Number : 203-624-3  
Synonyms : methylcyclohexane, Sextone B

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P501 Dispose of contents/container to....  
P405 Store locked up.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 Store in a well-ventilated place.  
P391 Collect spillage. Hazardous to the aquatic environment  
P370+P378 In case of fire: Use ... for extinction.  
P331 Do NOT induce vomiting.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thoroughly after handling.

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P243 Take precautionary measures against static discharge.

P240 Ground/bond container and receiving equipment.

P233 Keep container tightly closed.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

#### **Hazard statements**

H412 Harmful to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H410 Very toxic to aquatic life with long lasting effects

H401 Toxic to aquatic life

H336 May cause drowsiness or dizziness

H320 Causes eye irritation

H315 Causes skin irritation

H304 May be fatal if swallowed and enters airways

H302 Harmful if swallowed

H225 Highly Flammable liquid and vapour

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Methylcyclohexane
Synonyms	: methylcyclohexane, Sextone B
CAS	: 108-87-2
EC number	: 203-624-3
MF	: C7H14
MW	: 98.19

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air. Call in physician.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

### If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



■ HEALTH 1 Exposure would cause irritation with only minor residual injury (e.g. [acetone](#), sodium bromate, potassium chloride)

		Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature
<span style="color: red;">■</span>	FIRE	3 conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <a href="#">acetone</a> )
<hr/>		
<span style="color: yellow;">■</span>	REACT	0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <a href="#">N2</a> )
<hr/>		
<input type="checkbox"/>	SPEC.	
<input type="checkbox"/>	HAZ.	
<hr/>		

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### Environmental precautions

Do not let product enter drains. Risk of explosion.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemisorb?). Dispose of properly. Clean up affected area.

### Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

### **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **control parameter**

#### **Hazard composition and occupational exposure limits**

Does not contain substances with occupational exposure limits.

### **Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 480 min

Material tested: Camatril? (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 30 min

Material tested: KCL 741 Dermatril? L

##### **Body Protection**

Flame retardant antistatic protective clothing.

##### **Respiratory protection**

Recommended Filter type: Filter A-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

##### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

##### **Exposure limits**

NIOSH REL: TWA 400 ppm (1,600 mg/m<sup>3</sup>), IDLH 1,200 ppm; OSHA PEL: TWA 500 ppm (2,000 mg/m<sup>3</sup>); ACGIH TLV: TWA 400 ppm (adopted).

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	colorless liquid
Odour	aromatic
Odour Threshold	0.15ppm
pH	No data available
Melting point/freezing point	Melting point/range: -126 °C - lit.
Initial boiling point and boiling range	101 °C - lit.
Flash point	-4 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 6,7 %(V) Lower explosion limit: 1,1 %(V)
Vapour pressure	61,8 hPa at 25 °C
Vapour density	3,4
Relative density	No data available
Water solubility	0,014 g/l at 25 °C
Partition coefficient: n-octanol/water	log Pow: 3,6 at 25 °C - Bioaccumulation is not expected., (Lit.)
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 0,679 mPa.s at 20 °C
Explosive properties	No data available
Oxidizing properties	No data available
Henry's Law Constant	0.0678 at 25.0 °C (Ramachandran et al., 1996)
$\lambda_{max}$	$\lambda$ : 207 nm $A_{max}$ : 1.00 $\lambda$ : 221 nm $A_{max}$ : 0.40 $\lambda$ : 232 nm $A_{max}$ : 0.15 $\lambda$ : 260 nm $A_{max}$ : 0.05 $\lambda$ : 300-400 nm $A_{max}$ : 0.01

### Other safety information

Surface tension 23,29 mN/m at 25 °C

Relative vapor density

3,4

## SECTION 10: Stability and reactivity

### Reactivity

Vapors may form explosive mixture with air.

## Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## Possibility of hazardous reactions

Risk of explosion with:

Oxygen

Exothermic reaction with:

Oxidizing agents

fire-promoting substances

## Conditions to avoid

Warming.

## Incompatible materials

various plastics

## Hazardous decomposition products

In the event of fire: see section 5

---

# SECTION 11: Toxicological information

## Information on toxicological effects

### Acute toxicity

LC50 Inhalation - Rat - male - 4 h - > 52,6 mg/l

LD50 Dermal - Rabbit - > 86.000 mg/kg Remarks: (Lit.)

### Skin corrosion/irritation

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Remarks: The value is given in analogy to the following substances: Cyclohexane Possible damages: slight irritation

### Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: Does not cause skin sensitization. (OECD Test Guideline 406)

Remarks:

The value is given in analogy to the following substances: Cyclohexane

### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

#### **Carcinogenicity**

No data available

#### **Reproductive toxicity**

##### **Specific target organ toxicity - single exposure**

May cause drowsiness or dizziness. - Central nervous system

##### **Specific target organ toxicity - repeated exposure Aspiration hazard**

Aspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

#### **Toxicity**

Acute oral LD<sub>50</sub> for mice 2,250 mg/kg (quoted, RTECS, 1985).

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

semi-static test LC50 - *Oryzias latipes* (Orange-red killifish) - 2,07 mg/l - 96 h  
(OECD Test Guideline 203)

#### **Toxicity to daphnia and other aquatic invertebrates**

semi-static test EC50 - *Daphnia magna* (Water flea) - 0,326 mg/l - 48 h  
(OECD Test Guideline 202)

#### **Toxicity to algae**

static test ErC50 - *Pseudokirchneriella subcapitata* (algae) - 0,134 mg/l - 72 h  
(OECD Test Guideline 201)

static test NOEC - *Pseudokirchneriella subcapitata* (algae) - 0,0221 mg/l - 72 h  
(OECD Test Guideline 201)

#### **Toxicity to bacteria**

static test NOEC - activated sludge - 2,755 mg/l - 14 d Remarks: (ECHA)

### **Persistence and degradability**

Biodegradability aerobic - Exposure time 28 d

Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301D)

### **Bioaccumulative potential**

### **Mobility in soil**

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Toxics Screening Level**

The ITSL for methylcyclohexane is 16,000 µg/m<sup>3</sup> based on an 8-hour averaging time.  
Chemical Book



## Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### Waste treatment methods

#### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### Incompatibilities

Vapor may form explosive mixture with air. Incompatible with oxidizers (chlorates, nitrates, peroxides, permanganates, perchlorates, chlorine, bromine, fluorine, etc.); contact may cause fires or explosions. Keep away from alkaline materials, strong bases, strong acids, oxoacids, epoxides. Attacks some plastics, rubber and coatings

#### Waste Disposal

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. All federal, state, and local environmental regulations must be observed.

---

## SECTION 14: Transport information

### UN number

ADR/RID: 2296 IMDG: 2296 IATA: 2296

### UN proper shipping name

ADR/RID: METHYLCYCLOHEXANE IMDG: METHYLCYCLOHEXANE

IATA: Methylcyclohexane

14.3	Transport hazard class(es) ADR/RID: 3 IMDG: 3	IATA: 3
14.4	Packaging group ADR/RID: II IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: yes IMDG Marine pollutant: yes	IATA: no
14.6	Special precautions for user No data available	

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: <https://www.mem.gov.cn/>

### **Measures for Environmental Management of New Chemical Substances**

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

EC Inventory:Listed.

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

---

## SECTION 16: Other information

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

**[1]** CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

**[2]** ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

**[3]** ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

**[4]** eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

**[5]** ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

**[6]** Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

**[7]** HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

**[8]** IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

**[9]** IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

**[10]** Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### **Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.