# Chemical Safety Data Sheet MSDS / SDS

# Potassium tert-butoxide

Revision Date:2024-11-02 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

| Product name  | : Potassium tert-butoxide  |  |
|---|--|--|
| CBnumber  | : CB1335932  |  |
| CAS   | : 865-47-4   |  |
| EINECS Number   | : 212-740-3  |  |
| Synonyms  | : t-buok,Potassium tert-butoxide   |  |
| Relevant identified uses of the substance or mixture and uses advised against |  |  |
| Relevant identified uses  | : For R&D use only. Not for medicinal, household or other use.                       |  |
| Uses advised against  | : none   |  |
| Company Identification  |  |  |
| Company   | : Chemicalbook   |  |
| Address   | : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing |  |
| Telephone   | : 400-158-6606   |  |

# SECTION 2: Hazards identification

### GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word

Danger

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P370+P378 In case of fire: Use ... for extinction.

P402+P404 Store in a dry place. Store in a closed container.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### Hazard statements

H225 Highly Flammable liquid and vapour H228 Flammable solid H251 Self-heating; may catch fire H260 In contact with water releases flammable gases which may ignite spontaneously H302 Harmful if swallowed H314 Causes severe skin burns and eye damage H318 Causes serious eye damage H332 Harmful if inhaled H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H351 Suspected of causing cancer

### SECTION 3: Composition/information on ingredients

### Substance

| le |
|----|
|    |
|    |
|    |
|    |
|    |

### SECTION 4: First aid measures

### Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

### Extinguishing media

### Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

### Special hazards arising from the substance or mixture

Carbon oxides, Potassium oxides


### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### **Further information**

No data available

### **NFPA 704**



### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

### **Reference to other sections**

For disposal see section 13.

### SECTION 7: Handling and storage

#### Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in cool place. Never allow product to get in contact with water during storage.

Air and moisture sensitive. Handle and store under inert gas.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### **Exposure controls**

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to

avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection** 

Where risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

| Appearance                              | light yellow solid   |
|---|--|
| Odour                                   | No data available  |
| Odour Threshold                         | No data available  |
| рН                                      | 13 (5g/l, H2O, 20℃)Hydrolysis                                      |
| Melting point/freezing point            | Melting point/range: 256 - 258 °C - dec.                           |
| Initial boiling point and boiling range | 275°C  |
| Flash point                             | 54 °F  |
| Evaporation rate                        | No data available  |
| Flammability (solid, gas)               | The substance or mixture is a flammable solid with the category 1. |
| Upper/lower flammability or explosive   | No data available  |
| limits                                  |  |
| Vapour pressure                         | 1 hPa at 220 °C  |
| Vapour density                          | No data available  |
| Relative density                        | 0.902  |
| Water solubility                        | Soluble in hexane, toluene, diethyl ether and terahydrofuran.      |
| Partition coefficient: n-octanol/water  | No data available  |
|   |  |

| Autoignition temperature  | No data available   |
|---------------------------|---------------------|
| Decomposition temperature | 300 °C, 700 kJ/kg - |
| Viscosity                 | No data available   |
| Explosive properties      | No data available   |
| Oxidizing properties      | No data available   |

### Other safety information

Bulk density 0,52 - 0,56 kg/dm3

### SECTION 10: Stability and reactivity

### Reactivity

Reacts violently with water.

#### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Reacts violently with water.

### Conditions to avoid

Heat, flames and sparks. Exposure to moisture

### Incompatible materials

Water, acids, Reducing agents, Oxygen, Alcohols, Chlorinated solvents, Halogens, Ketones

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Potassium oxides Other decomposition products - No data available In the event of fire: see section 5

### SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 690 mg/kg (OECD Test Guideline 401) Remarks: Extremely corrosive and destructive to tissue. Skin corrosion/irritation Skin - Rabbit Result: Causes severe burns. (OECD Test Guideline 404) Serious eye damage/eye irritation Risk of serious damage to eyes. Respiratory or skin sensitisation No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

 Reproductive toxicity

 No data available

 Specific target organ toxicity - single exposure

 No data available

 Specific target organ toxicity - repeated exposure

 No data available

 Aspiration hazard

 No data available

 Additional Information

 RTECS: Not available

 burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# SECTION 12: Ecological information

### Toxicity

No data available

### Persistence and degradability

No data available

### **Bioaccumulative potential**

No data available

### Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

No data available

### SECTION 13: Disposal considerations

### Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### Contaminated packaging

Dispose of as unused product.

### SECTION 14: Transport information

### **UN number**

ADR/RID: 3131 IMDG: 3131 IATA: 3131

### UN proper shipping name

ADR/RID: WATER-REACTIVE SOLID, CORROSIVE, N.O.S. (Potassium tert-butanolate) IMDG: WATER-REACTIVE SOLID, CORROSIVE, N.O.S. (Potassium tert-butanolate) IATA: Water-reactive solid, corrosive, n.o.s. (Potassium tert-butanolate) Passenger Aircraft: Not permitted for transport

### Transport hazard class(es)

ADR/RID: 4.3 (8) IMDG: 4.3 (8) IATA: 4.3 (8)

### **Packaging group**

ADR/RID: I IMDG: I IATA: I

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### Special precautions for user

No data available

### SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

### Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# SECTION 16: Other information

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- CAS: Chemical Abstracts Service
- EC50: Effective Concentration 50%
- IATA: International Air Transportation Association
- IMDG: International Maritime Dangerous Goods
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- STEL: Short term exposure limit

TWA: Time Weighted Average

### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

**Disclaimer:** 

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.