# Chemical Safety Data Sheet MSDS / SDS

# Quinine

Revision Date: 2024-12-21 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

 Product name
 : Quinine

 CBnumber
 : CB9720330

 CAS
 : 130-95-0

 EINECS Number
 : 205-003-2

Synonyms: Quinine,(R)-(6-methoxyquinolin-4-yl)((1S,2S,4S,5R)-5-vinylquinuclidin-2-yl)methanol

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

#### **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

# **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

Acute toxicity - Category 4, Oral Skin sensitization, Sub-category 1A

#### Label elements

#### Pictogram(s)

ш

Signal word Danger

#### Hazard statement(s)

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 May cause respiratory irritation

#### Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P342+P311 IF experiencing respiratory symptoms: call a POISON CENTER or doctor/physician.

P405 Store locked up.

#### Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

#### Response

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P333+P317 If skin irritation or rash occurs: Get medical help.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

#### Storage

none

#### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Other hazards

no data available

# SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : Quinine

Synonyms : Quinine,(R)-(6-methoxyquinolin-4-yl)((1S,2S,4S,5R)-5-vinylquinuclidin-2-yl)methanol

CAS : 130-95-0

EC number : 205-003-2

MF : C20H24N2O2

MW : 324.42

# SECTION 4: First aid measures

# **Description of first aid measures**

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

#### Most important symptoms and effects, both acute and delayed

SYMPTOMS: Symptoms of exposure to this compound may include anorexia, nausea, vomiting, abdominal cramps, diarrhea, tinnitus, impaired hearing, blurred vision, vertigo, severe emotional reactions, pyrexia, skin eruptions, thrombocytopenic purpura, asthma, urticaria, acute hemolytic anemia, heart block, diminished cardiac output, ventricular tachycardia, ventricular fibrillation or acute ventricular asystole, headache, confusion, skin rash and angioedema. ACUTE/CHRONIC HAZARDS: This compound can cause irritation of the skin, eyes and mucous membranes. When heated to decomposition it emits toxic fumes. (NTP, 1992)

#### Indication of any immediate medical attention and special treatment needed

Decontamination. 1. Prehospital. Administer activated charcoal if available. Do not induce vomiting because of the risk of abrupt onset of seizures and coma. 2. Hospital. Administer activated charcoal. Consider gastric lavage for large ingestions. Quinidine and other type la antiarrhythmic drugs

# SECTION 5: Firefighting measures

#### Extinguishing media

Fires involving this compound can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. (NTP, 1992)


## **Specific Hazards Arising from the Chemical**

Flash point data for this compound are not available. It is probably combustible. (NTP, 1992)

#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **NFPA 704**



Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u>, ammonium phosphate, iodine)

	FIRE	0	Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)
	REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)
	SPEC.		
	HAZ.		

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

If a spill of this chemical occurs, FIRST REMOVE ALL SOURCES OF IGNITION, then you should dampen the solid spill material with acetone and transfer the dampened material to a suitable container. Use absorbent paper dampened with acetone to pick up any remaining material. Seal your contaminated clothing and the absorbent paper in a vapor-tight plastic bag for disposal Solvent wash all contaminated surfaces with acetone followed by washing with a soap and water solution. Do not reenter the comtaminated area until safty officer has verified that the area has been properly cleaned.

# SECTION 7: Handling and storage

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

#### Conditions for safe storage, including any incompatibilities

Quinidine should be stored at controlled room temperature. Quinidine salts slowly discolor on exposure to light, aquiring a brownish tint. Only clear, colorless solutions are suitable for injection./intravenous quinidine gluconate/

# SECTION 8: Exposure controls/personal protection

#### **Control parameters**

#### Occupational Exposure limit values

no data available

#### **Biological limit values**

no data available

#### **Exposure controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

#### Individual protection measures

#### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Thermal hazards

no data available

# SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

Physical state	Crystalline Powder
Colour	White
Odour	no data available
Melting point/freezing point	177 °C. Remarks:No further information available.;172 - 175 °C. Remarks:No further information available.
Boiling point or initial boiling point and boiling range	176°C(lit.)
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	253.7 °C.
Auto-ignition temperature	400 °C. Remarks:No details on the pressure available.
Decomposition temperature	no data available
pH	9.0 (0.5g/l, H2O, 20℃)
Kinematic viscosity	no data available
Solubility	H2O: soluble
Partition coefficient n-octanol/water	log Pow = 3.17. Temperature:25 °C. Remarks:There are no information about the pH.
Vapour pressure	>= 0 - <= 0 Pa. Temperature:25 °C.
Density and/or relative density	>= 110 - <= 140 kg/m3.
Relative vapour density	no data available
Particle characteristics	no data available

# SECTION 10: Stability and reactivity

#### Reactivity

no data available

#### **Chemical stability**

Quinidine gluconate, quinidine polygalacturonate, and quinidine sulfate darken on exposure to light and should be stored in well-closed, light resistant containers. Solutions of quinidine salts slowly acquire a brownish tint on exposure to light. Only colorless, clear solutions of quinidine gluconate injection should be used. Quinidine gluconate injection should be stored at 15-30 deg C. When diluted to a concentration of 16 mg/ml with 5% dextrose injection, quinidine gluconate injection is stable for 24 hours at room temperature and up to 48 hours when refrigerated. Quinidine salts

## Possibility of hazardous reactions

no data available

#### Conditions to avoid

no data available

#### Incompatible materials

no data available

#### Hazardous decomposition products

When heated to decomposition it emits toxic fumes of oxides of nitrogen.

# SECTION 11: Toxicological information

## **Acute toxicity**

• Oral: LD50 - rat - ca. 455.8 mg/kg bw. Remarks:No further data.

· Inhalation: no data available

• Dermal: no data available

## Skin corrosion/irritation

no data available

# Serious eye damage/irritation

no data available

#### Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

## Carcinogenicity

no data available

#### Reproductive toxicity

no data available

#### STOT-single exposure

no data available

#### STOT-repeated exposure

no data available

#### **Aspiration hazard**

no data available

# **SECTION 12: Ecological information**

#### **Toxicity**

Toxicity to fish: LC50 - Ictalurus punctatus - ca. 34 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex - ca. 28.3 mg/L - 24 h.

Toxicity to algae: EC50 - Dunaliella salina - ca. 14.5 mg/L - 72 h.

Toxicity to microorganisms: IC100 - S. marcescens, B. subtilis, E. coli - ca. 5 mmol/L - 6 h.

## Persistence and degradability

no data available

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

## Other adverse effects

no data available

# SECTION 13: Disposal considerations

# **Disposal methods**

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible

# **SECTION 14: Transport information**

#### **UN Number**

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

#### **UN Proper Shipping Name**

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

#### Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

#### Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

#### **Environmental hazards**

ADR/RID: No

IMDG: No

IATA: No

## Special precautions for user

no data available

# Transport in bulk according to IMO instruments

no data available

# SECTION 15: Regulatory information

## Safety, health and environmental regulations specific for the product in question

**European Inventory of Existing Commercial Chemical Substances (EINECS)** 

Listed.

## **EC Inventory**

Listed.

#### United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Not Listed

New Zealand Inventory of Chemicals (NZIoC)

Listed.

**PICCS** 

Listed.

**Vietnam National Chemical Inventory** 

Listed.

**IECSC** 

Listed.

Korea Existing Chemicals List (KECL)

Listed

# **SECTION 16: Other information**

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?

pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.