Chemical Safety Data Sheet MSDS / SDS

(R)-(+)-Propylene oxide

Revision Date: 2023-12-30 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : (R)-(+)-Propylene oxide

CBnumber : CB6294045

CAS : 15448-47-2

EINECS Number : 604-958-6

Synonyms : (R)-2-methyloxirane,(R)-(+)-propylene oxide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

Precautionary statements

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P201 Obtain special instructions before use.

Hazard statements

H350 May cause cancer

H340 May cause genetic defects

H335 May cause respiratory irritation

H332 Harmful if inhaled

H319 Causes serious eye irritation

H315 Causes skin irritation

H312 Harmful in contact with skin

H302 Harmful if swallowed

H301 Toxic if swalloed

H224 Extremely flammable liquid and vapour

SECTION 3: Composition/information on ingredients

Substance

Product name : (R)-(+)-Propylene oxide

Synonyms : (R)-2-methyloxirane,(R)-(+)-propylene oxide

CAS : 15448-47-2
EC number : 604-958-6
MF : C3H6O
MW : 58.08

SECTION 4: First aid measures

Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Small (incipient) fires must be extinguished with alcohol resistant foam, dry chemical

Special hazards arising from the substance or mixture

Carbon oxides


Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

NFPA 704



Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid, calcium</u>

HEALTH 3

hypochlorite, hexafluorosilicic acid)

Will rapidly or completely vaporize at normal atmospheric pressure and temperature, or is readily dispersed in air and will

- FIRE 4 burn readily. Includes pyrophoric substances. Flash point below room temperature at 22.8 °C (73 °F). (e.g. acetylene, propane, hydrogen.gas)
- $\begin{tabular}{lll} \hline & REACT & 0 & Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, $\underline{N2}$) \\ \hline \end{tabular}$

SPEC.

HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet- brushing and place in container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Refrigerate before opening. Handle and open container with care.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Splash contact Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 10 min

Material tested:Butoject? (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved

gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

| Appearance | colorless clear, liquid |
|---|--|
| Odour | No data available |
| Odour Threshold | No data available |
| рН | No data available |
| Melting point/freezing point | Melting point/range: -112 °C |
| Initial boiling point and boiling range | 33 - 34 °C - lit. |
| Flash point | -37 °C - closed cup |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Upper/lower flammability or explosive | Upper explosion limit: 37 %(V) Lower explosion limit: 2,1 %(V) |
| limits | |
| Vapour pressure | 592,089 hPa at 20 °C 2.028,541 hPa at 55 °C |
| Vapour density | 2 - (Air = 1.0) |
| Relative density | 0,829 g/cm3 at 20 °C |
| Water solubility | 405g/l |
| Partition coefficient: n-octanol/water | No data available |
| Autoignition temperature | No data available |
| Decomposition temperature | No data available |
| Viscosity | No data available |
| Explosive properties | No data available |
| Oxidizing properties | No data available |

Other safety information

Relative vapor density

2 - (Air = 1.0)

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials

Oxidizing agents, Copper, Strong acids, Strong bases, Peroxides, Bases, AminesStrong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 382 - 587 mg/kg

(OECD Test Guideline 401)

Remarks: (in analogy to similar products)

LC50 Inhalation - Rat - male and female - 4 h - 9,95 mg/l (OECD Test Guideline 403)

Remarks: (in analogy to similar products) LD50 Dermal - Rabbit - 950 mg/kg

Remarks: (ECHA) (in analogy to similar products)

Skin corrosion/irritation

Skin - Rabbit

Result: Severe skin irritation (Draize Test)

Remarks: (RTECS) (in analogy to similar products) (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe irritations (Draize Test)

Remarks: (RTECS) (in analogy to similar products) (Regulation (EC) No 1272/2008, Annex VI)

Risk of blindness! Risk of corneal clouding.

Respiratory or skin sensitization

Split adjuvant test - Guinea pig

Result: negative

Remarks: (ECHA) (in analogy to similar products)

Germ cell mutagenicity

Escherichia coli/Salmonella typhimurium Result: positive

(in analogy to similar products)

In vitro mammalian cell gene mutation test Mouse lymphoma test

Result: positive

(in analogy to similar products)

Mutagenicity (mammal cell test): chromosome aberration.

Result: positive

(in analogy to similar products) OECD Test Guideline 474

Rat - male - Red blood cells (erythrocytes)

Result: negative

(in analogy to similar products) OECD Test Guideline 475

Rat - male Result: negative (in analogy to similar products)

Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system (in analogy to similar products)

Acute inhalation toxicity - Shortness of breath, Cough, mucosal irritations, Possible damages:, damage of respiratory tract, Inhalation may lead to the formation of oedemas in the respiratory tract.

Specific target organ toxicity - repeated exposure Aspiration hazard

Additional Information

RTECS: UJ2650000

spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Central nervous system depression

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

After absorption:

Nausea, Vomiting, Diarrhea, ataxia (impaired locomotor coordination), CNS disorders, confusion, narcosis

Absorption can result in damage to:

Kidney, Liver

This substance should be handled with particular care.

Toxicity

LD50 orally in Rabbit: 380 mg/kg LD50 dermal Rabbit 1243 mg/kg

SECTION 12: Ecological information

Toxicity

Toxicity to fish

LC50 - S.gairdnerii - 52 mg/l - 96 h

Remarks: (IUCLID)(in analogy to similar products)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 350 mg/l - 48 h (US-EPA)

Remarks: (in analogy to similar products)

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 240 mg/l - 96 h

(US-EPA)

Remarks: (in analogy to similar products)

IC50 - Pseudokirchneriella subcapitata (green algae) - 240 mg/l - 96 h

Remarks: (IUCLID)

Toxicity to bacteria

EC10 - Bacteria - 10 mg/l - 17 h

Remarks: (in analogy to similar products)

Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 12 - 14 % - Not readily biodegradable. (OECD Test Guideline 301D)

Remarks: (in analogy to similar compounds)

Bioaccumulative potential

Mobility in soil

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra

care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

UN number

ADR/RID: 1280 IMDG: 1280

UN proper shipping name

ADR/RID: PROPYLENE OXIDE IMDG: PROPYLENE OXIDE IATA: Propylene oxide

Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

Packaging group

ADR/RID: I IMDG: I IATA: I

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

United States Toxic Substances Control Act (TSCA) Inventory: Not Listed. website: https://www.epa.gov/

Korea Existing Chemicals List (KECL):Not Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Not Listed. website: https://echa.europa.eu/

EC Inventory:Not Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Not Listed. website: https://www.mee.gov.cn/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.